

# BellaDati User's Documentation

## Welcome

The BellaDati User's Guide begins with an overview of the key features of BellaDati, and goes on to describe the use of BellaDati as a smart reporting, analytical and a collaborative tool. If you still have a question that has not been answered, [please ask our support team](#).



You can download the [BellaDati documentation in PDF and HTML](#) formats.

## Getting Started

- Video Tutorials
- Exploring BellaDati Workspace
- Logging Into BellaDati
- Detailed Glossary
- FAQ
- Best practices

## Data sets and ETL

- Creating Data Set
- Importing Data
  - Importing from Clipboard
  - Importing from File
    - Adding custom columns in XML import
  - Data Sources
    - Connecting to SQL Database
      - Conditional SQL import
      - Connection parameters examples
      - Solving problems with connecting to MS SQL database
      - Upgrading JDBC drivers
      - Using variables in SQL query
    - Connecting to Microsoft Analysis Services (SSAS)
    - Connecting to SAP BW
    - Connecting to SAP HANA
    - Connecting over HTTP
    - Connecting to MongoDB
    - Connecting to FTP
    - Connecting to Google Analytics
      - Configuring Google Connectors
    - Connecting to Google Drive
    - Connecting to Facebook
      - Configuring Facebook Connector
    - Connecting to Twitter
      - Configuring Twitter connector
    - Connecting to LinkedIn
    - Connecting to Zendesk
    - Connecting to Salesforce
      - Configuring Salesforce connector
    - Connecting to Amiando
    - Connecting to Intuit
    - Connecting to Existing Data Set
    - Connecting to Hadoop
    - Connecting to Cloudera Impala
    - Connecting to MS SharePoint
    - Data source overview
  - Import Settings
    - Adding or removing columns in an existing data set
  - Import Results
  - Scheduling Import
    - On-demand data synchronization
  - Write-back
- Browsing Data
  - Bulk changing values in the data set
  - Editing column order
- Managing Indicators

- Grouping Indicators
- Translating Indicators
- Transforming Indicator values
- Build indicators with formula
- Adding Permissions to Indicators
- Managing Attributes
  - Defining Drill-down Path
  - Members Appearance
  - Translating Attributes and Members
  - Transforming Attribute Values
  - Creating Attribute Subsets
    - Creating nested subsets
  - Managing Attribute Access
    - Dynamic Data Level Access - Use Case
  - Creating attribute custom members
  - Editing default GEO location mapper
- Joining Data Sets
  - Changing join point
  - Building joined data set
- Notifications
- Structure Backup
- Sharing Data Sets
- Watching Data Changes
- Managing GEO Data
  - Importing GEO Points definition
  - Importing GEO Regions (GeoJSONs)
  - Managing Map providers
  - Creating GeoJSON files
- Database Connections Library
- Big Data Sets
- Remote Storage
- Partitioning
- Advanced Settings
  - Dynamic Data Tables Tutorial
  - Remote Data Table Mapping
- Working with SAP HANA Predictions Manager

## Reports

- Creating Report
- Creating View
  - Creating Table
    - Adding Date Intervals
      - Working with Date Intervals
    - Editing Table Axes Content
    - Setting table export configuration
    - Using Custom Table Renderer
  - Creating Chart
    - Create Histogram
    - Creating Candlestick Chart
    - Creating Gantt Chart
    - Creating XY Scatter Chart
    - Editing Chart Axes Content
    - Managing chart appearance
      - Using Custom Chart Renderer
  - Creating Geo Maps
  - Creating KPI labels
    - Setting appearance of KPI Label
  - Adding Custom Content
    - Adding Live Video Stream to Report
    - Formula macros in custom content
  - Displaying Indicators
    - Displaying numerical value as date or time duration
  - Using Core Statistical Functions
  - Reversing Changes (Undo & Redo)
  - Conditional formatting
  - Displaying Source Data
- Sharing Report
- Copying Report
- Managing Layout
  - Report tabs

- Saving Reports
- Using Formulas and scripts
  - Formula Reference Guide
    - Datetime Functions
    - Datetime Constants
    - Math Functions
    - Special Functions
    - Accessing Report Variables
    - Referencing Data From Another Data Set
    - Table formulas
  - Formula Use Cases
    - Filtering in Formulas
    - Calculating Frequencies
    - Calculating Percentual Share in Drill-Downs
    - Calculating With Members On Defined Level
    - Calculating Average Cumulated Values
    - Calculating Percentiles and Quantils
    - Getting Last Available Value
    - Cross-referencing Values from Different Data Set
    - Handling empty (NULL) values by formulas
    - Representing numbers in accounting format
    - Overriding Date Interval with Day Order
    - Displaying text values in KPI labels
    - Display Top or Bottom Member Value in KPIs
    - Calculating average across different drill down levels
    - Calculate revenue using unit price times quantity and revenue percentage
    - Calculating with NULL values
    - Link Relative Ratio and Year-on-year Comparison
    - Calculating Yearly Cumulated Values
    - Creating Pareto Chart
  - Formula best practices
- Setting Date Interval
- Variables and Filters
  - Report Filters
    - Quick Filters
    - Additional filters
    - Discovery mode
    - Filter view
  - View filters
  - Variables
  - Associated views
  - Static Filters
    - Using Indicator Filters
  - Advanced functions
    - Passing Parameters in URL
- Defining Drill-through URL
- Adding Comments and Attachments
- Publishing to Dashboard
- Report Tags
- Searching and Filtering Reports
- Translating Reports
- Report appearance
- Report settings
  - Auto update interval
- Report navigation
- Transferring report
- Export
  - Exporting Report
    - Export schedule
      - Adjusting layout in the email body and PDF attachment
  - Exporting View
- Report History

## Dashboards

- Creating Dashboard
- Managing Dashboard Layout
- Creating Dashlet
  - Adding View
  - Adding Navigation
  - Adding Filter

- Adding Other Content
- Sharing Dashboard
- Adding Attachment
- Exporting Dashboard
- Copying dashboard
- Translating dashboards

## Folders

- Sharing folders

## BellaDati Mobile

- BellaDati Mobile for iOS
- BellaDati Mobile for Android

## BellaApps

- Creating App
- Uploading App

## Media Gallery

## Data Collection Module

## Machine Learning

- Exploring workspace
- ML Reference Guide
  - Loading Data
  - Storing Data
- Parameters in ML Studio
- Projects
  - Importing and Exporting Projects
- Pipelines
- Using Python
- Using R

## Administration

- Managing Configuration
  - Setup Active Directory Authentication
  - Setup Google login
  - Email server configuration
    - Using Gmail as email server
  - Twitter Authentication Setup
  - Setup CAS Authentication
  - OpenID Connect configuration
- Administering Users
  - Administering User Groups
  - Deleting users
  - Importing Users
  - Managing User Directories
  - Managing User Profile
  - Permissions and Roles
    - Report viewers - Control types
- Administering Domains
  - Managing Domain
    - Color schemes
    - Domain Backup
    - Domain Banners
    - External Custom Login Page
- Sharing console
- Usage Monitoring

- Monitoring executed imports
- Mass mailing
- License
  - BellaDati multi-domain license
- Export schedules overview
- Extensions
  - Extensions - Use cases
    - Custom login page
    - Custom navigation menu
    - Custom navigation - Hover menu
    - Custom table renderer
    - Custom table renderer with link
- Supported languages
- Upcoming imports
- Import nodes
- System Overview
- Database summary

## Release notes

- BellaDati 2.9.14.2
- BellaDati 2.9.14.1
- BellaDati 2.9.14
- BellaDati 2.9.13.7
- BellaDati 2.9.13.6
- BellaDati 2.9.13.5
- BellaDati 2.9.13.4
- BellaDati 2.9.13.3
- BellaDati 2.9.13.2
- BellaDati 2.9.13.1
- BellaDati 2.9.13
- BellaDati 2.9.12.4
- BellaDati 2.9.12.3
- BellaDati 2.9.12.2
- BellaDati 2.9.12.1
- BellaDati 2.9.12
- BellaDati 2.9.11.2
- BellaDati 2.9.11.1
- BellaDati 2.9.11
- BellaDati 2.9.10.1
- BellaDati 2.9.10
- BellaDati 2.9.9.2
- BellaDati 2.9.9.1
- BellaDati 2.9.9
- BellaDati 2.9.8.3
- BellaDati 2.9.8.2
- BellaDati 2.9.8.1
- BellaDati 2.9.8
- BellaDati 2.9.7
- BellaDati 2.9.6.7
- BellaDati 2.9.6.6
- BellaDati 2.9.6.5
- BellaDati 2.9.6.4
- BellaDati 2.9.6.3
- BellaDati 2.9.6.2
- BellaDati 2.9.6.1
- BellaDati 2.9.6
- BellaDati 2.9.5.4
- BellaDati 2.9.5.3
- BellaDati 2.9.5.2
- BellaDati 2.9.5.1
- BellaDati 2.9.5
- BellaDati 2.9.4.3
- BellaDati 2.9.4.2
- BellaDati 2.9.4.1
- BellaDati 2.9.4
- BellaDati 2.9.3.5
- BellaDati 2.9.3.4
- BellaDati 2.9.3.3
- BellaDati 2.9.3.2
- BellaDati 2.9.3.1

- BellaDati 2.9.3
- BellaDati 2.9.2.3
- BellaDati 2.9.2.2
- BellaDati 2.9.2.1
- BellaDati 2.9.2
- BellaDati 2.9.1
- BellaDati 2.9
- BellaDati 2.8.6.5
- BellaDati 2.8.6.3
- BellaDati 2.8.6.2
- BellaDati 2.8.6.1
- BellaDati 2.8.6
- BellaDati 2.8.5
- BellaDati 2.8.4.3
- BellaDati 2.8.4.2
- BellaDati 2.8.4.1
- BellaDati 2.8.4
- BellaDati 2.8.3.1
- BellaDati 2.8.3
- BellaDati 2.8.2
- BellaDati 2.8.1
- BellaDati 2.8
- BellaDati 2.7.17
- BellaDati 2.7.16.1
- BellaDati 2.7.16
- BellaDati 2.7.15.10
- BellaDati 2.7.15.9
- BellaDati 2.7.15.8
- BellaDati 2.7.15.7
- BellaDati 2.7.15.6
- BellaDati 2.7.15.5
- BellaDati 2.7.15.4
- BellaDati 2.7.15.3
- BellaDati 2.7.15.2.1
- BellaDati 2.7.15.2
- BellaDati 2.7.15.1
- BellaDati 2.7.15
- BellaDati 2.7.14.1.5
- BellaDati 2.7.14.1.4
- BellaDati 2.7.14.1.3
- BellaDati 2.7.14.1.2
- BellaDati 2.7.14.1.1
- BellaDati 2.7.14.1
- BellaDati 2.7.14
- BellaDati 2.7.13.6
- BellaDati 2.7.13.5.1
- BellaDati 2.7.13.5
- BellaDati 2.7.13.4.1
- BellaDati 2.7.13.4
- BellaDati 2.7.13.3
- BellaDati 2.7.13.2
- BellaDati 2.7.13.1.1
- BellaDati 2.7.13.1
- BellaDati 2.7.13
- BellaDati 2.7.12.4
- BellaDati 2.7.12.3
- BellaDati 2.7.12.2
- BellaDati 2.7.12.1.1
- BellaDati 2.7.12.1
- BellaDati 2.7.12
- BellaDati 2.7.11.10.2
- BellaDati 2.7.11.10.1
- BellaDati 2.7.11.10
- BellaDati 2.7.11.9
- BellaDati 2.7.11.8
- BellaDati 2.7.11.7
- BellaDati 2.7.11.6.1
- BellaDati 2.7.11.6
- BellaDati 2.7.11.5.2
- BellaDati 2.7.11.5.1
- BellaDati 2.7.11.5
- BellaDati 2.7.11.4

- BellaDati 2.7.11.3
- BellaDati 2.7.11.2.3
- BellaDati 2.7.11.2.2
- BellaDati 2.7.11.2.1
- BellaDati 2.7.11.2
- BellaDati 2.7.11.1
- BellaDati 2.7.11.0.4
- BellaDati 2.7.11.0.3
- BellaDati 2.7.11.0.2
- BellaDati 2.7.11.0.1
- BellaDati 2.7.11
- BellaDati 2.7.10.0.7
- BellaDati 2.7.10.0.5
- BellaDati 2.7.10.0.4
- BellaDati 2.7.10.0.3
- BellaDati 2.7.10.0.2
- BellaDati 2.7.10.0.1
- BellaDati 2.7.10
- BellaDati 2.7.9.5.5
- BellaDati 2.7.9.5.4
- BellaDati 2.7.9.5.3
- BellaDati 2.7.9.5.2
- BellaDati 2.7.9.5.1.1
- BellaDati 2.7.9.5.1
- BellaDati 2.7.9.5
- BellaDati 2.7.9.4.1
- BellaDati 2.7.9.4
- BellaDati 2.7.9.3
- BellaDati 2.7.9.2
- BellaDati 2.7.9.1.5
- BellaDati 2.7.9.1.4
- BellaDati 2.7.9.1.3
- BellaDati 2.7.9.1.2
- BellaDati 2.7.9.1.1
- BellaDati 2.7.9.1
- BellaDati 2.7.9.0.1
- BellaDati 2.7.9
- BellaDati 2.7.8.1.2
- BellaDati 2.7.8.1.1
- BellaDati 2.7.8.1
- BellaDati 2.7.8
- BellaDati 2.7.7.4
- BellaDati 2.7.7.3
- BellaDati 2.7.7.2
- BellaDati 2.7.7.1
- BellaDati 2.7.7
- BellaDati 2.7.6
- BellaDati 2.7.5.6
- BellaDati 2.7.5.5
- BellaDati 2.7.5.4
- BellaDati 2.7.5.3
- BellaDati 2.7.5.2
- BellaDati 2.7.5.1
- BellaDati 2.7.5.0.1
- BellaDati 2.7.5
- BellaDati 2.7.4.5
- BellaDati 2.7.4.4
- BellaDati 2.7.4.3
- BellaDati 2.7.4.2.1
- BellaDati 2.7.4.2
- BellaDati 2.7.4.1
- BellaDati 2.7.4.0.1
- BellaDati 2.7.4
- BellaDati 2.7.3.4
- BellaDati 2.7.3.3
- BellaDati 2.7.3.2
- BellaDati 2.7.3.1
- BellaDati 2.7.3
- BellaDati 2.7.2.2
- BellaDati 2.7.2.1
- BellaDati 2.7.2
- BellaDati 2.7.1.1

- BellaDati 2.7.1
- BellaDati 2.7.0.1
- BellaDati 2.7
- BellaDati 2.6.3.2
- BellaDati 2.6.3.1
- BellaDati 2.6.3
- BellaDati 2.6.2.1
- BellaDati 2.6.2
- BellaDati 2.6.1.3
- BellaDati 2.6.1.2
- BellaDati 2.6.1.1
- BellaDati 2.6.1
- BellaDati 2.6.0.3
- BellaDati 2.6.0.2
- BellaDati 2.6.0.1
- BellaDati 2.6
- BellaDati 2.5.2
- BellaDati 2.5.1
- BellaDati 2.5

## **SvNavigation**

### **Troubleshooting**

- Chinese or Japanese characters missing in export
- Data Sets do not appear
- Maps are not exported
- PostgreSQL does not start after upgrading to Windows 10 Fall Creators Update
- Strange symbols instead of icons

### **BellaDati Stardriver**

- BellaDati Stardriver for Android
  - Troubleshooting - Android
- BellaDati Stardriver for iOS
  - Troubleshooting - iOS